

Powered by Confident Cannabis

### **Green Stone Manufacturing**

1811 N Industrial Blvd Norman, OK 73069 carmen@greenstonemanufacturing.com (405) 837-6709 Lic. #PAAA-4KLQ-8MUL

Sample: 2209HGL3489.12631

Strain: Banana Punch

Date Sampled: 09/09/2022; Report Created: 09/14/2022 Concentrates & Extracts, Hash - Oil, Ice/Water Primary Sample Size: 2g

#### Banana Punch Live Rosin Cartridges

metrc Source Package#: 1A40E0100005023000000180 metrc Package#: 1A40E0100005023000000182 Harvest or Production Batch#: bananapunchcarts09082022





Cannabinoids


**Total THC: 76.00%** 

Total CBD: <LOQ

Complete

**Total Cannabinoids: 79.44%** 

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.22	3.38	33.8
Δ9-THC	0.22	73.04	730.4
Δ8-THC	0.22	ND	ND
THCV	0.22	0.46	4.6
CBDa	0.22	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBD	0.22	ND	ND
CBDV	0.22	ND	ND
CBN	0.22	ND	ND
CBGa	0.22	0.95	9.5
CBG	0.22	1.34	13.4
CBC	0.22	0.81	8.1



Date Tested: 09/13/2022

Analysis performed on Agilent Infinity II 1260 HPLC

Total THC = THCa \* 0.877 + d9-THC Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave Oklahoma City, OK (405) 724-8444 highgradelabs.com Lic# LAAA-NKSE-J8CM



Abigail Burkhart Laboratory Director

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis 2 of 5

### **Green Stone Manufacturing**

1811 N Industrial Blvd Norman, OK 73069 carmen@greenstonemanufacturing.com (405) 837-6709 Lic. #PAAA-4KLQ-8MUL

Sample: 2209HGL3489.12631


Strain: Banana Punch


Date Sampled: 09/09/2022; Report Created: 09/14/2022 Concentrates & Extracts, Hash - Oil, Ice/Water Primary Sample Size: 2g

#### Banana Punch Live Rosin Cartridges

metrc Source Package#: 1A40E0100005023000000180 metrc Package#: 1A40E0100005023000000182 Harvest or Production Batch#: bananapunchcarts09082022











Pine

Date Tested: 09/13/2022; Analysis performed on Agilent 7890A GCFID

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave Oklahoma City, OK (405) 724-8444 highgradelabs.com Lic# LAAA-NKSE-J8CM



Abigail Burkhart Laboratory Director

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis

**Green Stone Manufacturing** 

1811 N Industrial Blvd Norman, OK 73069 carmen@greenstonemanufacturing.com (405) 837-6709 Lic. #PAAA-4KLQ-8MUL Sample: 2209HGL3489.12631

Strain: Banana Punch

Date Sampled: 09/09/2022; Report Created: 09/14/2022 Concentrates & Extracts, Hash - Oil, Ice/Water Primary Sample Size: 2g

Banana Punch Live Rosin Cartridges

metrc Source Package#: 1A40E0100005023000000180 metrc Package#: 1A40E0100005023000000182 Harvest or Production Batch#: bananapunchcarts09082022



Microbials			Pass
Analyte	Limit	Results	Status
	CFU/g	CFU/g	
Yeast & Mold	10000	NĎ	Pass
Shiga Toxin E. Coli	1	ND	Pass
Salmonella	1	ND	Pass
Aspergillus niger	1	ND	Pass
Aspergillus fumigatus	1	ND	Pass
Aspergillus terreus	1	ND	Pass
Aspergillus flavus	1	ND	Pass

Date Tested: 09/14/2022

E. coli test performed on 3M Petrifilm E. coli/Coliform Plates. Salmonella test perfomed on 3M MDS system. Yeast and Mold test performed on 3M Petrifilm Rapid Yeast and Mold Plate. Aspergillus test performed on Agilent AriaMX Real-Time PCR System. TNTC = Too Numerous to Count

Heavy Metals				Pass
Analyte	LOQ	Limit	Results	Status
	PPB	PPB	PPB	
Arsenic	25	200	98	Pass
Cadmium	25	200	<loq< td=""><td>Pass</td></loq<>	Pass
Lead	25	500	99	Pass
Mercury	10	100	ND	Pass

Date Tested: 09/12/2022

Analysis performed on Agilent 7800 ICP-MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Foreign Matter Pass

Notes: Analysis performed in accordance with SOP 305.

Foreign Organic Materials

Foreign Inorganic Materials

0%



2200 S Prospect Ave Oklahoma City, OK (405) 724-8444 highgradelabs.com Lic# LAAA-NKSE-J8CM



Abigail Burkhart

Abigail Burkhart Laboratory Director Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis 4 of 5

Green Stone Manufacturing

1811 N Industrial Blvd Norman, OK 73069 carmen@greenstonemanufacturing.com (405) 837-6709 Lic. #PAAA-4KLQ-8MUL Sample: 2209HGL3489.12631

Strain: Banana Punch

Date Sampled: 09/09/2022; Report Created: 09/14/2022 Concentrates & Extracts, Hash - Oil, Ice/Water Primary Sample Size: 2g

Banana Punch Live Rosin Cartridges

metrc Source Package#: 1A40E0100005023000000180 metrc Package#: 1A40E0100005023000000182 Harvest or Production Batch#: bananapunchcarts09082022



Solvents Pass

Analyte	LOQ Limit	Units	Status	Analyte	LOQ Limit	Units	Status
	PPM PPM	PPM			PPM PPM	PPM	
Acetone	25.0001000.000	ND	Pass	Methanol	25.000 600.000	<loq< td=""><td>Pass</td></loq<>	Pass
Benzene	1.000 2.000	ND	Pass	n-Hexane	5.000 60.000	ND	Pass
Butanes	25.0001000.000	ND	Pass	Pentane	25.0001000.000	ND	Pass
Ethanol	25.0005000.000	ND	Pass	Propane	25.0001000.000	ND	Pass
Ethyl-Acetate	25.0001000.000	ND	Pass	Toluene	25.000 180.000	ND	Pass
Heptanes	25.0001000.000	ND	Pass	Xylenes	25.000 430.000	<loq< td=""><td>Pass</td></loq<>	Pass
Isopropanol	25.0001000.000	117.506	Pass				

Date Tested: 09/13/2022

Notes

Analysis performed on Agilent 7697A Headspace / 7890B GC / 5977B MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave Oklahoma City, OK (405) 724-8444 highgradelabs.com Lic# LAAA-NKSE-J8CM



Abigail Burkhart Laboratory Director Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis 5 of 5

**Green Stone Manufacturing** 

1811 N Industrial Blvd Norman, OK 73069 carmen@greenstonemanufacturing.com (405) 837-6709 Lic. #PAAA-4KLQ-8MUL Sample: 2209HGL3489.12631

Strain: Banana Punch

Date Sampled: 09/09/2022; Report Created: 09/14/2022 Concentrates & Extracts, Hash - Oil, Ice/Water Primary Sample Size: 2g

Banana Punch Live Rosin Cartridges

metrc Source Package#: 1A40E0100005023000000180 metrc Package#: 1A40E0100005023000000182 Harvest or Production Batch#: bananapunchcarts09082022



Pesticides Pass

Analyte	LOQ	Limit	Units	Status	Analyte	LOQ	Limit	Units	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Abamectin	0.025	0.500	ND	Pass	Myclobutanil	0.025	0.200	ND	Pass
Azoxystrobin	0.025	0.200	ND	Pass	Permethrins	0.075	0.200	ND	Pass
Bifenazate	0.025	0.200	ND	Pass	Spinosad	0.025	0.200	ND	Pass
Etoxazole	0.025	0.200	ND	Pass	Spiromesifen	0.025	0.200	ND	Pass
Imazalil	0.025	0.200	ND	Pass	Spirotetramat	0.025	0.200	ND	Pass
Imidacloprid	0.025	0.400	ND	Pass	Tebuconazole	0.025	0.400	ND	Pass
Malathion	0.025	0.200	ND	Pass					

Date Tested: 09/13/2022

Notes:

Analysis performed on Agilent Infinity II 1260 / 6470 Triple Quadrupole LC/MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Mycotoxins

Analyte	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Aflatoxins	2.50	20.00	ND	Pass
Ochratoxin A	2.50	20.00	ND	Pass

Date Tested: 09/13/2022

Notes:

Analysis performed on Agilent Infinity II 1260 / 6470 Triple Quadrupole LC/MS. LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave Oklahoma City, OK (405) 724-8444 highgradelabs.com Lic# LAAA-NKSE-J8CM



Abigail Burkhart Laboratory Director Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for containants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01