

Powered by Confident Cannabis

Green Stone Manufacturing

1811 N Industrial Blvd Norman, OK 73069 carmen@greenstonemanufacturing.com (405) 837-6709 Lic. #PAAA-4KLQ-8MUL

Sample: 2109HGL5677.22344

Strain: Kitchen Sink

Sample Received: 09/20/2021; Report Created: 09/23/2021 Concentrates & Extracts, Live Rosin, Ice/Water

Kitchen Sink

Lot#: Batch#: 191087 Batch Size: g









Cannabinoids


Total THC: 61.36%

Total CBD: 0.17%

Complete

Total Cannabinoids: 71.74%

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.19	66.89	668.9
Δ9-THC	0.19	2.70	27.0
Δ8-THC	0.19	ND	ND
THCV	0.19	ND	ND
CBDa	0.19	0.20	2.0
CBD	0.19	ND	ND
CBDV	0.19	ND	ND
CBN	0.19	ND	ND
CBGa	0.19	1.71	17.1
CBG	0.19	0.23	2.3
CBC	0.19	ND	ND
Total		71.74	717.4



Date Tested: 09/22/2021

Analysis performed on Agilent Infinity II 1260 HPLC

Total THC = THCa * 0.877 + d9-THC Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave Oklahoma City, OK (405) 724-8444 highgradelabs.com Lic# LAAA-NKSE-J8CM



Abigail Burkhart **Laboratory Director**

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis

Green Stone Manufacturing

1811 N Industrial Blvd Norman, OK 73069 carmen@greenstonemanufacturing.com (405) 837-6709 Lic. #PAAA-4KLQ-8MUL

Sample: 2109HGL5677.22344


Strain: Kitchen Sink


Sample Received: 09/20/2021; Report Created: 09/23/2021 Concentrates & Extracts, Live Rosin, Ice/Water

Kitchen Sink

Lot#: Batch#: 191087 Batch Size: g







Analyte	LOQ	Mass	Mass
	%	%	mg/g
Limonene	0.02	2.39	23.9
β-Myrcene	0.02	1.49	14.9
β-Caryophyllene	0.02	1.17	11.7
Farnesene	0.02	0.86	8.6
α-Humulene	0.02	0.44	4.4
β-Pinene	0.02	0.26	2.6
α-Terpineol	0.02	0.23	2.3
α-Bisabolol	0.02	0.23	2.3
Geranyl Acetate	0.02	0.21	2.1
Valencene	0.02	0.19	1.9
α-Pinene	0.02	0.17	1.7
Endo-Fenchyl Alcohol	0.02	0.17	1.7
Linalool	0.02	0.15	1.5
Nerolidol	0.02	0.10	1.0
trans-Nerolidol	0.02	0.10	1.0
Camphene	0.02	0.05	0.5
Terpinolene	0.02	0.03	0.3
Cedrol	0.02	0.02	0.2
Caryophyllene Oxide	0.02	0.02	0.2
α-Cedrene	0.02	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
α-Phellandrene	0.02	ND	ND
α-Terpinene	0.02	ND	ND
Borneol	0.02	ND	ND
Camphor	0.02	ND	ND
cis-Nerolidol	0.02	ND	ND
cis-Ocimene	0.02	ND	ND
δ-3-Carene	0.02	ND	ND
Eucalyptol	0.02	ND	ND
Fenchone	0.02	ND	ND
y-Terpinene	0.02	ND	ND
y-Terpineol	0.02	ND	ND
Geraniol	0.02	ND	ND
Guaiol	0.02	ND	ND
Hexahydro Thymol	0.02	ND	ND
Isoborneol	0.02	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Isopulegol	0.02	ND	ND
Nerol	0.02	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Phytol	0.02	ND	ND
Pulegone	0.02	ND ND	ND ND
	0.02	ND	ND
p-Cymene Sabinene	0.02	ND ND	ND ND
Sabinene Hydrate	0.02	ND ND	ND ND
trans-Ocimene	0.02	ND ND	ND ND
Total	0.02	8.28	82.8
IULAI		0.20	0∠.8

Magnolia

Date Tested: 09/22/2021; Analysis performed on Agilent 7890A GCFID

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave Oklahoma City, OK (405) 724-8444 highgradelabs.com Lic# LAAA-NKSE-J8CM



Abigail Burkhart Laboratory Director

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for containants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis

Green Stone Manufacturing

1811 N Industrial Blvd Norman, OK 73069 carmen@greenstonemanufacturing.com (405) 837-6709 Lic. #PAAA-4KLQ-8MUL

Sample: 2109HGL5677.22344

Strain: Kitchen Sink

Sample Received: 09/20/2021; Report Created: 09/23/2021 Concentrates & Extracts, Live Rosin, Ice/Water

Kitchen Sink

Lot#: Batch#: 191087 Batch Size: g



Solvents			Pass
Analyte	LOQ	Limit	Results
	PPM	PPM	PPM
Acetone	25.000	1000.000	ND
Benzene	1.000	2.000	ND
Butanes	25.000	1000.000	ND
Ethanol	25.000	5000.000	ND
Ethyl-Acetate	25.000	1000.000	ND
Heptanes	25.000	1000.000	ND
Isopropanol	25.000	1000.000	<loq< th=""></loq<>
Methanol	25.000	600.000	ND
n-Hexane	5.000	60.000	ND
Pentane	25.000	1000.000	ND
Propane	25.000	1000.000	ND
Toluene	25.000	180.000	ND
Xylenes	25.000	430.000	ND
Total			0.000

Microbials			Pass
Analyte	Limit	Results	Status
	CFU/g	CFU/g	
Yeast & Mold	10000	NĎ	Pass
Shiga Toxin E. Coli	1	ND	Pass
Salmonella	1	ND	Pass
Aspergillus niger	1	ND	Pass
Aspergillus fumigatus	1	ND	Pass
Aspergillus terreus	1	ND	Pass
Aspergillus flavus	1	ND	Pass

Date Tested: 09/23/2021

E. coli test performed on 3M Petrifilm E. coli/Coliform Plates. Salmonella test perfomed on 3M MDS system. Yeast and Mold test performed on 3M Petrifilm Rapid Yeast and Mold Plate. Aspergillus test performed on Agilent AriaMX Real-Time PCR System. TNTC = Too Numerous to Count

Heavy Metals			Pass
Analyte	LOQ	Limit	Results Status
	PPB	PPB	PPB
Arsenic	25	200	<loq pass<="" th=""></loq>
Cadmium	25	200	<loq pass<="" th=""></loq>
Lead	25	500	37 Pass
Mercury	10	100	<loq pass<="" th=""></loq>

Date Tested: 09/23/2021

Analysis performed on Agilent 7697A Headspace / 7890B GC / 5977B MS LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Foreign Matter

Pass

Notes:

Date Tested: 09/21/2021 Analysis performed on Agilent 7800 ICP-MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave Oklahoma City, OK (405) 724-8444 highgradelabs.com Lic# LAAA-NKSE-J8CM



Abigail Burkhart Laboratory Director

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis

Green Stone Manufacturing

1811 N Industrial Blvd Norman, OK 73069 carmen@greenstonemanufacturing.com (405) 837-6709 Lic. #PAAA-4KLQ-8MUL

Sample: 2109HGL5677.22344

Strain: Kitchen Sink

Sample Received: 09/20/2021; Report Created: 09/23/2021 Concentrates & Extracts, Live Rosin, Ice/Water

Kitchen Sink

Lot#: Batch#: 191087 Batch Size: g



Pesticides

Analyte	LOO	Limit	Units	Status	Analyte	LOO	Limit	Units	Status
Analyte	PPM	PPM	PPM	Jtatus	Allalyte	PPM	PPM	PPM	Jiaius
Abamectin	0.025	0.500	ND	Pass	Myclobutanil	0.025	0.200	ND	Pass
Azoxystrobin	0.025	0.200	ND	Pass	Permethrins	0.025	0.200	ND	Pass
Bifenazate	0.025	0.200	ND	Pass	Spinosad	0.025	0.200	ND	Pass
Etoxazole	0.025	0.200	ND	Pass	Spiromesifen	0.025	0.200	ND	Pass
Imazalil	0.025	0.200	ND	Pass	Spirotetramat	0.025	0.200	ND	Pass
Imidacloprid	0.025	0.400	ND	Pass	Tebuconazole	0.025	0.400	ND	Pass
Malathion	0.025	0.200	ND	Pass					

Date Tested: 09/22/2021

Analysis performed on Agilent Infinity II 1260 / 6470 Triple Quadrupole LC/MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Mycotoxins **Pass**

Analyte	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Aflatoxins	2.50	20.00	ND	Pass
Ochratoxin A	2.50	20.00	ND	Pass

Date Tested: 09/22/2021

Notes: LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave Oklahoma City, OK (405) 724-8444 highgradelabs.com Lic# LAAA-NKSE-J8CM



Abigail Burkhart Laboratory Director

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for containants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01